ORIGINAL

TSCA NON-CONFIDENTIAL BUSINESS INFORMATION **DOCUMENT DESCRIPTION DOCUMENT CONTROL NUMBER DATE RECEIVED** 88110000336 9/22/11 8EHQ-11- 48452 COMMENTS:

DOES NOT CONTAIN CBI



Helping Make Products Better™

MR#338364

September 19, 2011



OPPT CBIC

Via Federal Express

United States Environmental Protection Agency - East Attn: TSCA Section 8(e)
Room 6428
1201 Constitution Avenue, NW
Washington, DC 20004

Subject: Notice in Accordance with Section 8(e): Results of a Reproduction/Developmental

Toxicity Screening Test with Orașol Black RLI (CAS No. 117527-94-3)

Dear Section 8(e) Coordinator:

BASF Corporation is submitting results of a Reproduction/Developmental Toxicity Screening Test with Orasol Black RLI (CAS No. 117527-94-3), conducted by BASF SE, Ludwigshafen, Germany.

The study has been performed according to OECD 421 with the dose levels of 0, 50, 200 and 1000 mg/kg body weight/day via gavage in rats. The high dose was discontinued due to high maternal toxicity.

The following unexpected findings were seen:

Preliminary individual pregnancy and litter data at 50 and 200 mg/kg body weight/day showed reduced live birth and viability indices compared to the control group.

The live birth index was 91.7 - 100.0% in controls (N = 10 dams) and 92.3 - 100.0% at 50 mg/kg body weight/day (N = 9 dams) but 1 rat 50 mg/kg body weight/day had a live birth index of 10.0%. The live birth index at 200 mg/kg body weight/day was reduced to 66.7 - 71.4% (N = 3) and 0.0% (N = 1), only 5 rats were unaffected (100.0%) and one animal did not litter.

The viability index of control animals was 100.0% in all animals. The viability index was reduced at 50 and 200 mg/kg body weight/day due to 2 and 4 rats, respectively, with no pups alive on Day 4.

In addition, pup weights and pup weight gain were low at 200 mg/kg body weight/day. Compared to the control group the pup weight gain was reduced by -15% in males and -30% in females.

CONTAINS NO CBI



United States Environmental Protection Agency - East September 19, 2011 Page 2

Dose (mg/kg bw/day)	Animal number	Live birth index	Viability index %	Mean pup body weight (day 1)	Mean pup body weight (day 4)	Mean pup body weight gain
	41	100.0	100.0			
	42	100.0	100.0	Males	Males	Males
	43	100.0	100.0	6.9 ± 0.5	10.2 ± 0.8	3.3 ± 0.4
	44	100.0	100.0			
Control	45	92.9	100.0			
	46	100.0	100.0			
	47	100.0	100.0	Females	Females	Females
	48	100.0	100.0	6.6 ± 0.5	9.9 ± 0.8	3.3 ± 0.4
	49	91.7	100.0			
	50	100.0	100.0			
	51	100.0	100.0			
	52	100.0	100.0	Males	Males	Males
	53	100.0	0.0	6.9 ± 1.0	10.6 ± 1.4	3.4 ± 0.8
	54	100.0	100.0			
50	55	100.0	100.0			
	56	100.0	100.0			
	57	100.0	100.0	Females	Females	Females
	58	10.0	0.0	6.9 ± 0.6	10.3 ± 1.3	3.4 ± 0.8
	59	92.3	100.0			
	60	100.0	100.0			
	61	0.0	-			
	62	100.0	100.0	Males	Males	Males
	63	100.0	75.0	6.4 ± 0.6	9.5 ± 0.7	2.8 ± 0.2
	64	100.0	88.9			
200	65	66.7	0.0			
	66	66.7	0.0	F '	 .	
	67	100.0	77.8	Females	Females	Females
	68 NL			6.1 ± 0.6	8.2 ± 1.2	2.3 ± 0.6
	69	71.4	0.0			
NII I I'II .	70	100.0	100.0			

NL = not littered



United States Environmental Protection Agency - East September 19, 2011 Page 3

BASF Corporation understands that reporting of the results from this study under TSCA 8(e) is in accordance with EPA's policy.

If you have any questions, please contact the undersigned at (973) 245-6693.

Sincerely,

Ganet Cerra
Janet Cerra

Product Regulatory Center of Expertise

North America

1224th Letter.doc

From: (973) 245-6693 Janet Cerra BASF

100 Campus Drive

Florham Park, NJ 07932

Origin ID: LKKA



J11201108050225

BILL SENDER

SHIP TO: (202) 564-8930

Attn: TSCA Section 8(e)

USEPA East Room 6428

1201 Constitution Avenue, NW

Washington, DC 20004

Ship Date: 19SEP11 ActWgt: 1.0 LB CAD: 4487533/INET3180

Delivery Address Bar Code



Ref# Invoice#

ef# US635018

PO# Dept#

TUE - 20 SEP A1 STANDARD OVERNIGHT

TRK# 7952 0304 2375

ZD RDVA

20004 DC-US DCA



50FG2/4299/F5F4

After printing this label:

- 1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
- 2. Fold the printed page along the horizontal line.
- 3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning. Use only the printed original label for shipping Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery,misdelivery,or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim.Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic valueof the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental,consequential, or special is limited to the greater of \$100 or the authorized declared value Recovery cannot exceed actual documented loss.Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.